Print / Save as PDF



Centorio

Centorio Fire Rated IP65 Tuneable White Downlight Emergency

PRODUCT DATA

Part Code (s)	**R098802/E**
Applications	**Interior**
Warranty	3 Years
Certification(s)	CE, RoHS


PHYSICAL DATA


Colour Finish	White, Polished chrome and Satin Nickel
Dimensions (mm)	Ø110 x H37mm
Length	Ø110 x H37
Luminaire Fixing	**Recessed**
Construction Material	Aluminium
Diffuser Type	TPA rated

ELECTRICAL DATA

Wattage	12W
Voltage Range	AC180-240
Power Factor	>0.90
Inrush Current	<10A
Running Current	DC350mA

DIMENSION DIAGRAM


37mm


110mm


95mm

Part Code: R098802/E

TECHNICAL DATA

Lumens (±5%)	~70Lm/W (3000K), ~71 Lm/W (4000K), ~80 Lm/W (5000K)
Efficacy	840 Lm (3000K), 860 Lm (4000K), 960 Lm (5000K)
Operating Temperature	-20°C to +45°C
Beam Angle	80°
Operating Hours	>50000
IK Rating	IK07

LIGHT SOURCE DATA

CRI	>80Ra

PHOTOMETRIC DIAGRAM

Image not available