Print / Save as PDF



Pulsar Pendant

Pulsar Pendant 10W 3000K

PRODUCT DATA

Part Code (s)	**R096201/BK/3K**
Applications	**Interior**
Warranty	5 years
Certification(s)	CE, RoHS


PHYSICAL DATA


Colour Finish	Matte Black (RAL9005)
Body Colour	Black
Dimensions (mm)	L150 x Ø65
Luminaire Fixing	**Pendant**
Construction Material	Aluminium
Diffuser Type	PMMA

ELECTRICAL DATA

Wattage	10W
Voltage Range	AC200-240V
Power Factor	>0.90
Inrush Current	<20A
Running Current	DC250mA

DIMENSION DIAGRAM


26mm
Up to
1500mm
256mm
Ø65mm


Ø65mm

Part Code: R096201/BK/3K

TECHNICAL DATA

Lumens (±5%)	895
Efficacy	~90Lm/W
Operating Temperature	-20°C to +45°C
Beam Angle	38°
Operating Hours	>50000
IP Rating	IP20
IK Rating	IK07

LIGHT SOURCE DATA

Kelvins	**3000K**
CRI	>90Ra
Macadam Ellipse	equal or less than 3 sdcm
L80 B50	**90000 hours**
LEDs	Single Bin Bridgelux

PHOTOMETRIC DIAGRAM

Image not available