Print / Save as PDF



# Alphard

Alphard LED Emergency Bulkhead 24W 5000K

## PRODUCT DATA

| | |
|---|---|
| **Part Code (s)** | **R181101/E** |
| **Applications** | **Interior** |
| **Warranty** | 5 years |
| **Certification(s)** | CE, RoHS |

## PHYSICAL DATA


| | |
|---|---|
| **Colour Finish** | Black |
| **Dimensions (mm)** | Ø350 x H90 |
| **Luminaire Fixing** | **Surface mounted, Suspended** |
| **Construction Material** | Cast aluminium |
| **Diffuser Type** | TPa rated |

## ELECTRICAL DATA

| | |
|---|---|
| **Wattage** | 24W |
| **Voltage Range** | AC220-240V |
| **Power Factor** | >0.95 |
| **Inrush Current** | <60A |
| **Running Current** | DC700mA |

## DIMENSION DIAGRAM


90mm


Ø350mm

**Part Code: R181101/E**

## TECHNICAL DATA

| | |
|---|---|
| **Lumens (±5%)** | 1920 |
| **Efficacy** | ~80 Lm/W |
| **Operating Temperature** | 0°C to +40°C |
| **Beam Angle** | 120° |
| **Operating Hours** | >50000 |
| **IP Rating** | IP65 |
| **IK Rating** | IK10 |

## LIGHT SOURCE DATA

| | |
|---|---|
| **Kelvins** | **5000K** |
| **CRI** | >80Ra |

## PHOTOMETRIC DIAGRAM

*Image not available*