Print / Save as PDF



Flosse

Flosse Wall Pack 13W/18W/28W Switchable, 3000K and 4000K Switchable In White

PRODUCT DATA

Part Code (s)	**R301301/WT/CTC/SW**
Applications	**Interior/Exterior**
Warranty	5 years
Certification(s)	CE, RoHS,UKCA

PHYSICAL DATA


Module	**Bulkhead**
Colour Finish	White (RAL9002)
Body Colour	White
Dimensions (mm)	319mm x 165mm x 265mm
Length	319mm x 165mm x 265mm
Luminaire Fixing	**Wall Mounted**
Construction Material	Die cast aluminium
Diffuser Type	Polycarbonate


ELECTRICAL DATA

Wattage	13W / 18W / 28W
Voltage Range	222 – 240 V
Power Factor	>0.09
Inrush Current	10A for 100?s

Running Current	13W - DC350mA, 18W - DC500mA, 28W - DC725mA

DIMENSION DIAGRAM


265mm
319mm



Part Code: R301301/WT/CTC/SW

TECHNICAL DATA

Lumens (±5%)	13W -1711 @3000K 1757 @4000K, 18W - 2385 @3000K 2453@4000K, 28W 3403 @3000K 3487 @4000K
Efficacy	~125 Lm/W
Operating Temperature	-20°C to +40°C
Beam Angle	120
Operating Hours	50,000
IP Rating	IP65
IK Rating	IK10

LIGHT SOURCE DATA

Kelvins	**3000K/4000K**
CRI	>80Ra
Macadam Ellipse	<6
LEDs	13W DC350mA18WDC500mA28WDC725mA

PHOTOMETRIC DIAGRAM

Image not available