Print / Save as PDF



Protium Max

Protium Max Triple Downlight 75W 4000K

PRODUCT DATA

Part Code (s)	**R093013/4K/75W**
Applications	**Interior**
Warranty	5 years
Certification(s)	CE, RoHS UKCA


PHYSICAL DATA


Colour Finish	White
Body Colour	White
Dimensions (mm)	H133 x L475 x W175mm
Length	Triple Head
Luminaire Fixing	**Recessed**
Construction Material	Aluminium
Diffuser Type	Acrylic


ELECTRICAL DATA

Wattage	75W
Voltage Range	AC220-240
Power Factor	>0.95
Inrush Current	<60A
Running Current	DC1.8A

DIMENSION DIAGRAM







Part Code: R093013/4K/75W

TECHNICAL DATA

Lumens (±5%)	7589
Efficacy	~101 Lm/W
Operating Temperature	-20°C to +45°C
Beam Angle	40°
Operating Hours	>50000
IP Rating	IP20
IK Rating	IK05

LIGHT SOURCE DATA

Kelvins	**4000K**
CRI	>91Ra
Macadam Ellipse	equal or less than 3 sdcm
L80 B50	**90000 hours**
LEDs	Single Bin Bridgelux COB

PHOTOMETRIC DIAGRAM

Image not available