Print / Save as PDF



Protium Max

Protium Max Triple Downlight 120W 3000K

PRODUCT DATA

Part Code (s)	**R093013/3K/120W**
Applications	**Interior**
Warranty	5 years
Certification(s)	CE, RoHS UKCA


PHYSICAL DATA


Colour Finish	White
Body Colour	White
Dimensions (mm)	H133 x L475 x W175mm
Length	Triple Head
Luminaire Fixing	**Recessed**
Construction Material	Aluminium
Diffuser Type	Acrylic


ELECTRICAL DATA

Wattage	120W
Voltage Range	AC220-240
Power Factor	>0.95
Inrush Current	<60A
Running Current	DC3.15A

DIMENSION DIAGRAM







Part Code: R093013/3K/120W

TECHNICAL DATA

Lumens (±5%)	12001
Efficacy	~100 Lm/W
Operating Temperature	-20°C to +45°C
Beam Angle	40°
Operating Hours	>50000
IP Rating	IP20
IK Rating	IK05

LIGHT SOURCE DATA

Kelvins	**3000K**
CRI	>91Ra
Macadam Ellipse	equal or less than 3 sdcm
L80 B50	**90000 hours**
LEDs	Single Bin Bridgelux COB

PHOTOMETRIC DIAGRAM

Image not available