Print / Save as PDF



Titan

Titan 0.6m Switchable 12W/15W/18W/20W in 4000K With Emergency

PRODUCT DATA

Part Code (s)	**R151006/E**
Applications	**Interior/ Exterior**
Warranty	5 years
Certification(s)	CE, RoHS


PHYSICAL DATA


Colour Finish	Grey
Dimensions (mm)	H75 x L660 x W116
Length	660mm
Luminaire Fixing	**Surface Mounted, Suspended**
Construction Material	Polycarbonate
Diffuser Type	TPa rated

ELECTRICAL DATA

Wattage	12W | 15W | 18W | 20W
Voltage Range	AC220-240
Power Factor	>0.90
Inrush Current	<16A
Running Current	DC300mA | DC365mA | DC445mA|DC500mA

DIMENSION DIAGRAM


660mm
400mm


116mm
75mm

Part Code: R151006/E

TECHNICAL DATA

Lumens (±5%)	1933 | 2411 | 2894 | 3252
Efficacy	~160 Lm/W
Operating Temperature	-20°C to +45°C
Operating Hours	>50000
IP Rating	IP65
IK Rating	IK08

LIGHT SOURCE DATA

Kelvins	**4000K**
CRI	>80Ra

PHOTOMETRIC DIAGRAM

Image not available

ricoman.com Product design and technical data may be subject to change.

0161 451 5913 sales@ricoman.com