Print / Save as PDF



Vanguard III

Vanguard III Manual Test Emergency Open Area & Corridor Included

PRODUCT DATA

Part Code (s)	**R221503/MT/ALL**
Applications	**Interior**
Warranty	3 years
Certification(s)	UKCA, CE, RoHS

PHYSICAL DATA


Colour Finish	Cream White
Dimensions (mm)	Ø70 x H49 (Cut out 60mm)
Luminaire Fixing	**Recessed**
Construction Material	Polycarbonate
Diffuser Type	Polycarbonate-TPa rated

ELECTRICAL DATA


Wattage	3W
Voltage Range	AC220-240 50/60Hz
Power Factor	>0.50
Inrush Current	<60A
Running Current	DC750mA

DIMENSION DIAGRAM


Battery



Driver



Lamp Head



Part Code: R221503/MT/ALL

TECHNICAL DATA

Lumens (±5%)	225
Operating Temperature	0°C to +40°C
Beam Angle	108°
Operating Hours	>30000
IP Rating	IP20
IK Rating	IK08

LIGHT SOURCE DATA

Kelvins	**6000K**
CRI	>80Ra
Macadam Ellipse	Less than 4 sdcm
L80 B50	**50000 hours**

PHOTOMETRIC DIAGRAM

Image not available