

Astrowave Vertical Suspension Kit

INSTALLATION INSTRUCTIONS



PLEASE READ THESE INSTRUCTIONS CAREFULLY BEFORE INSTALLATION AND LEAVE A COPY WITH THE END USER FOR FUTURE REFERENCE.

SAFETY INFORMATION – We recommend that luminaires be installed by a fully qualified and competent electrician who understands building regulations and the current IEE wiring regulations. The light source contained in this luminaire shall only be replaced by the manufacturer or a qualified professional.

Before commencing any installation or maintenance work, ensure that the electricity is switched off at the mains.



IMPORTANT USER INFORMATION

Please install and use strictly in accordance with these instructions. Make sure that you have all the tools and equipment to complete the installation safely and correctly. Improper installation could cause harm to your property and/or person and void your warranty. It is the installer's responsibility to consider fire and safety risks and take appropriate precautions.

- This instruction sheet should be passed on by the installer to the end user for maintenance purposes.
- RICOMAN products should not be modified. The company will not accept any responsibility for any modified products or for any damage caused as a result of their modification.
- This fitting is designed to be used in interior areas.
- To clean fittings use a soft damp cloth and dry immediately. Do not use any chemical or abrasive cleaner.
- All light fittings run hot. It is the installer's responsibility to consider fire risk and take precautions. Fittings should not be installed close to any flammable material.


SPECIFICATION

Order Code:


R75-08 - Astrowave Vertical Suspension Kit

R75-09 - Astrowave Vertical Suspension Kit with Acrylic Tube

PREPARE MATERIALS



Astrowave




Manual




Wall plug and screw




Screws



2 in 1 Suspension top hat



Suspension tail



Connection board



O-Rings (x2)



Clear Tube (for R75-09 only)

Astrowave

Vertical Suspension Kit

Before following these steps please ensure you have read and adhered to the guidelines and information overleaf.

INSTALLATION TOOLS




Phillips
Screwdriver




Slotted
Screwdriver



Wire Snips




Measuring
Tape



Hack Saw


Ø6.0mm




Electric screwdriver (head
Ø6.0mm)

INSTALLATION STEPS


STEP 1




STEP 2




STEP 3



STEP 4




STEP 5



Astrowave


Vertical Suspension Kit

STEP 6 Insert the O-Ring into the Astrowave




STEP 7 (FOR R75-08 SKIP TO STEP 10)


"L" is the length of the remaining Astrowave after the top hat is installed, not the total length of the Astrowave




STEP 8 Cut the clear tube to desired size




STEP 9 Insert the clear tube in to the Astrowave




STEP 10




STEP 11



STEP 12









STEP 13



Astrowave

Vertical Suspension Kit

STEP 14 	STEP 15 
STEP 16 	STEP 17 
STEP 18 	STEP 19 
FINAL RESULT 	



ENVIRONMENTAL PROTECTION

Waste Electrical & Electronic Equipment Regulations (WEEE) requires that any of our products showing this marking must not be disposed of with other household or commercial waste. To prevent possible harm to the environment or human health from uncontrolled waste disposal, please separate any such product from other waste types and recycle it responsibly at your local facilities. Check with your Local Authority, Recycling Centre or retailer for recycling advice.

WARRANTY

This product is in warranty in the UK for a period of 3 year from the date of purchase. The guarantee is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label, installation in an improper working environment or installation not according to the current edition of the IEE Wiring Regulations. Should this product fail during the warranty period, it will be replaced free of charge, subject to the aforementioned conditions and return of the faulty unit. We do not accept responsibility for any installation costs associated with the replacement of this product. Your statutory rights are not affected.